



Disability Inclusion Helpdesk Report No: 60

Family Planning for Women and Girls with Disabilities

Dr Erika Fraser, Nick Corby and Jessie Meaney-Davis 18 January 2019, updated 30 April 2021

Query: 1) What is the evidence on factors affecting access to and uptake of family planning for women and girls with disabilities in low and middle income countries, highlighting examples from FP2020 commitment-making countries? 2) What is the evidence on good practice on increasing full free and informed contraceptive choice for women and girls with disabilities – from the same countries or elsewhere?

Contents

- 1. Overview
- 2. Methodology
- 3. Factors affecting access to and uptake of family planning for women and girls with disabilities
- 4. Good practice on increasing full free and informed contraceptive choice for women and girls with disabilities
- 5. References

1. Overview

The fundamental right of people to decide, freely and for themselves, whether, when, and how many children to have is central to the vision and goals of FP2020.¹ In 2017, the Special Rapporteur on the rights of persons with disabilities, Ms Catalina Devandas Aguilar, urged the global community to recognise the needs of women and girls with disabilities to be informed and enabled to make autonomous choices about their own sexual and reproductive health (SRH). This document provides a rapid review of the evidence on factors affecting access to and uptake of family planning for women and girls with disabilities, as well as highlighting examples of good practice. It was originally written in January 2019, and it was updated in April 2021.

The evidence base on family planning for women and girls with disabilities has grown rapidly over the past decade and is assessed to be medium-sized, according to DFID's (2014) How to Note on Assessing the Strength of Evidence. The most evidence from FP2020 commitment-making countries comes from Ethiopia, Ghana, Nepal, Senegal and Uganda, and evidence tends to focus on challenges faced by women and girls with hearing impairments (see Section 2 for a summary of the evidence base, gaps, and methodology used for this rapid review).

A summary of the key factors affecting access to and uptake of family planning is provided in the table below (see Section 3 for further information and examples).

¹ https://www.familyplanning2020.org/ayfp

However, there remain considerable gaps in the evidence base on good practice on increasing full free and informed contraceptive choice for women and girls with disabilities. Although there are many organisations and projects working on this issue, interventions are not well evaluated or documented. Given the multiple barriers shown in the table above, most studies and the experts consulted highlight the **need for a multi-component approach** using a range of tailored strategies. Examples of promising practices most frequently mentioned in the literature include:

- Inclusion of women and girls with disabilities in the development of family planning policies and programmes, in line with the principle of 'nothing about us, without us', including actively partnering with local disability service organisations to improve accessibility.
- Peer education to improve the awareness of people with disabilities on FP methods and services.
- Addressing attitudinal barriers with caregivers and communities.
- Tailoring key awareness-raising and educational messages on family planning to the needs of people with disabilities.
- Addressing negative attitudes amongst healthcare workers and ensuring informed contraceptive choice through training
- Engaging family members on family planning interventions to get caregivers' buy-in and create enabling environment to improve access and uptake of family planning.
- Satellite services and sexuality education for people with disabilities.

- Collect data to improve planning of policy and services.
- Ensuring family planning services are accessible to women and girls with disabilities.

2. Methodology

This rapid research query has been conducted as systematically as possible within 5.5 days of research time. The methodology is described below.

Search strategy: Studies were identified through a variety of search strategies; focusing on FP 2020 commitment-making countries that are also UK Foreign, Commonwealth, and Development Office (FCDO) focus countries (see Annex 1):

- Google and relevant electronic databases (PubMed, Science Direct, and Google Scholar) for priority sources using a selection of key search terms.²
- Review of key disability portals and resource centres, including the UCL International Disability
 Research Centre, Disability Data Portal, Source, International Centre for Evidence in Disability, the
 Impact Initiative, and Sightsavers Research Centre.
- **Disability-focused journals**, such as Disability & Society, and the Asia Pacific Disability Rehabilitation Journal.
- Targeted search on the OHCHR database for the State reports, National Human Rights Institutions (NHRI) reports, and civil society reports submitted to the OHCHR treaty bodies, focusing on Committee on the Rights of Persons with Disabilities (CRPD) reports for FP2020 countries where FCDO have bilateral programmes due to time restrictions.
- Contacted the FCDO Disability Inclusive Development Programme consortium partners³ and experts for evidence recommendations (see Section 5 for experts who replied).

The review prioritised existing syntheses, evidence reviews, and systematic reviews where possible in order to draw on the fullest range of evidence possible (Horner-Johnson et al, 2018; Carew et al, 2017; Braathen et al, 2017).

Criteria for inclusion: To be eligible for inclusion in this rapid review of the literature, studies had to fulfil the following criteria:

- **Focus**: Factors affecting access to and uptake of family planning for women and girls with disabilities, and examples of good practice on increasing full free and informed contraceptive choice.
- Time period: 2008⁴ 2019.
- Language: English.

• **Publication status**: publicly available – in almost all cases published online.

• **Geographical focus**: low and middle-income countries, highlighting examples from FP2020 commitment making countries (and prioritising FCDO focus countries).

² Key search terms included: family planning, contraception, SRH, condoms AND women, girls, access, uptake AND disabled / disability / disabilities, impairment, deaf, blind, wheelchair AND interventions, programmes, evaluations, reviews, research, study.

³ The Disability Inclusion Helpdesk is funded under the DID programme. The DID consortium partners are ADD International, BBC Media Action, BRAC, Institute of Development Studies (IDS), International Disability Alliance (IDA), Humanity & Inclusion, Leonard Cheshire Disability, Light for the World, Sense, Sightsavers and Social Development Direct.

⁴ Note: The Disability Inclusion Helpdesk reviews evidence from 2008 onwards as this is the year that the Convention on the Rights of Persons with Disabilities and its Optional Protocol came into force.

Overall, there is a growing evidence base on family planning for women and girls with disabilities, which is assessed to be medium-sized according to DFID's (2014) How to Note on Assessing the Strength of Evidence. FP2020 countries with the most evidence include Ethiopia, Ghana, Nepal, Senegal and Uganda. The evidence base tends to focus on challenges faced by women and girls with hearing impairments, with comparatively little on people with intellectual disabilities.

However, the evidence base on good practice on increasing full free and informed contraceptive choice for women and girls with disabilities is limited. Experts consulted⁵ highlighted that although there are many organisations and projects working on this issue, there has not yet been a synthesis of evidence on what strategies have worked (or not) to increase access for women and girls with disabilities. The few relevant systematic reviews and comprehensive evidence reviews point to the scarcity of high quality, rigorous research globally, including in high-income countries (Horner-Johnson et al, 2018; Braathen et al, 2017). Most research has focused on vulnerabilities, rather than emancipatory practices (Carew et al, 2017). Promising programming is often innovative and implemented by smaller disabled persons organisations (DPOs). No evaluations of interventions aimed at increasing access to family planning for women and girls with disabilities were found during this rapid review, possibly because evaluations, particularly impact evaluations, may not be suitable for DPOs' more flexible and adaptable work which is smaller-scale and requires groups to adapt to rapidly changing circumstances.

Particular gaps in the evidence and therefore priorities for future research include: lack of systematic examination of how interventions can best address intersecting inequalities such as disability, gender, race/ethnicity, age, caste, sexual orientation, and religion; barriers and good practice for people with psychosocial disabilities⁶; access to family planning for people with disabilities during the COVID-19 pandemic; good practice in increasing access to family planning for women and girls with disabilities in humanitarian contexts, although this is noted as a particularly vulnerable group (UNFPA, 2018; Kassa et al, 2016).

3. Factors affecting access to and uptake of family planning for women and girls with disabilities

Available evidence on disability and SRH in low and middle income countries suggests a range of barriers impacting people with disabilities (Carew et al, 2018; WHO/UNFPA, 2009)⁷. The following section summarises the evidence on the factors affecting access to and uptake of family planning for women with disabilities, based on a framework used by the Disability Inclusion Helpdesk that combines a recognition of individual factors that can marginalise people with disabilities (e.g. multiple intersecting factors such as age, gender, impairments) and the environmental, attitudinal and institutional barriers that limit or exclude people with impairments.⁸

3.1 Individual factors

DFID's Strategy for Disability Inclusive Development 2018-23 recognises that people with disabilities face intersecting and compounding forms of discrimination. Disability intersects with other sources of discrimination or social disadvantage which might limit access to and uptake of family

⁵ Personal communication with Eva Burke, Reproductive and Sexual Health Specialist (30 December 2018)

⁶ Psychosocial disability is an internationally recognised term under the United Nations CRPD, used to describe the experience of people with impairments and participation restrictions related to mental health conditions

⁷ Personal communication with Dr Ola Abu Alghaib, Director, Global Influencing and Research, Leonard Cheshire Disability (15 January 2019)

⁸ Disability Inclusion Helpdesk helpdesk training by Lorraine Wapling (December 2018)

planning such as age, gender, sexuality, ethnicity, impairment type, or economic poverty (Wapling, 2018; DFID, 2018).

Studies have conceptualised the variety of overlapping factors in different ways, for example Ayika and Kikosi (2016) talk about predisposing factors (e.g. age, marital status and education), enabling factors (e.g. access to family planning information, health facilities, geographic location, wealth), and factors influencing the need for contraception (e.g. number of children, fertility intentions). In this paper, we use a **marginalisation framework**⁹ to distinguish between individual factors affecting access to and uptake of family planning:

- **Universal factors** (fixed aspects of one's identity regardless of setting), including age, gender, disability and health status.
- **Contextual factors** (more complex and changeable factors that vary by setting), including language, caste, migration and refugee status, poverty and family status.

Evidence suggests that these multiple factors intersect and create a nuanced picture, depending on context. For example, research in Senegal found age, disability and gender are associated with different access and uptake barriers that intersect to create multiple vulnerabilities amongst young people with disabilities.¹⁰

Barriers can differ depending on the types and severity of impairment and can require different solutions to access and uptake of family planning. It is important to note that disability is complex and people with disabilities are not a homogenous group. Services and information will therefore need to be tailored, and there is no one-size-fits-all approach to ensure family planning services are accessible to women and girls with disabilities (Plan, 2017). For example, an assessment on the family planning needs of people with disabilities in Addis Ababa, Ethiopia identified a range of barriers depending on impairment type (see box below).

How access and uptake of family planning varies by type of impairment: Case of Addis Ababa, Ethiopia (FHI 360, USAID, Ministry of Health, 2017)

152 people with disabilities participated in discussion groups, which revealed different types of barriers depending on impairment types:

- People with hearing impairments: Communication barriers, limited access to family planning information, unavailability of sign language interpreters at the health facilities, and media based dissemination of information non-tailored to deaf people. Many deaf people have a negative attitude towards FP and do not support its use, partially caused by rumours and misconceptions on FP methods among deaf people.
- **People with visual and hearing impairments**: No translator at the facilities, negative attitudes of service providers.
- People with visual impairments: poor health facility design and infrastructure, poor road conditions that lead to health facilities, lack of guidance at health facilities, and negative experiences in health facilities.
- **People with physical disabilities**: Higher awareness than other groups. Key barriers include disrespectful and mistreatment from health workers and inaccessible health facilities design
- **People with intellectual disabilities:** Mistreatment from some health care workers and other staff at health facilities.

¹⁰ Expert comments from Eva Burke, Reproductive and Sexual Health Specialist (30 December 2018). See also Burke et al (2017)

⁹ As used by FCDO's Girls Education Challenge (GEC) programme to understand who is marginalised based on their universal and contextual characteristics (Wapling, 2018)

In most contexts, evidence indicates that adolescents with disabilities face particularly severe challenges, including difficulties discussing family planning with parents, educators and counsellors, as well as risks of sexual exploitation and discrimination (Plan, 2017; Jones et al, 2018; Burke et al, 2017). Adolescent girls with disabilities are often disadvantaged compared to boys, due to restrictive gender norms (Jones et al, 2018). A 2017 report on sexual and reproductive health and rights by the Special Rapporteur on the Rights of Persons with Disabilities, Ms Catalina Devandas Aguilar, notes high levels of stigma and abuse of adolescent girls' SRH rights: "the intersection between young age, disability and gender results in both aggravated forms of discrimination and specific human rights violations against girls and young women with disabilities" (p.4).

3.2 Environmental factors

Physical barriers to access: Examples of the physical inaccessibility of SRH services cited in the literature includes a lack of ramps, adjustable beds, wheelchairs and disability-friendly sanitation facilities in family planning clinics, health facilities and hospitals (Ahumuza et al. 2014). In Nepal, a study of 293 young people aged 15-30 with three types of impairment (visual, hearing or physical) found that only 38% of young people said that they perceived the nearest SRH service centre to be physically accessible and disability-friendly (Sunaulo Pariwar Nepal, 2015). ¹¹ Various State Reports to the CPRD note the challenges with accessibility of health infrastructure, facilities, information and services for persons with disabilities – for example, Ghana (2018), Kenya (2014), Malawi (2016), and Sudan (2015).

Queues at health facilities can compound the physical barriers to accessing services. For example, a study in Uganda noted that people with disabilities often had to wait in long queues at health facilities to access family planning, which were partly due to few health workers: "Whereas long queues is a common occurrence especially at public health facilities in Uganda, lack of consideration for persons with physical disability was a hindrance to access of SRH services" (Ahumuza et al. 2014: 7).

Long and difficult journeys to clinics, particularly in rural and remote areas, can be a particular barrier to the access and uptake of family planning services (Ahumuza et al., 2014; Mirza, 2015). For example, Malawi's (2016) State Report to the CPRD highlights the mobility challenges from places of residence to health facilities including long distances to health facilities.

Accessibility of family planning messaging and materials: Evidence suggests that uptake of family planning materials depends on accessibility of information and SRH education. Various State reports as well as research in Ghana, Kenya and Rwanda have highlighted awareness gaps among people with disabilities, for example people with hearing impairments having difficulty with radio messages or following workshops without sign language interpreters, or people with visual impairments not being provided with Braille materials or television messaging not captioned or translated into sign language (Mprah, 2017; Habinshuti et al, 2017; Tanabe et al, 2015). A survey of 165 deaf women and 165 blind women in Ethiopia found that 76% of respondents received information about family planning from friends or peers, 47% from healthcare workers, 42% from television or radio, and 25% from a sexual partner (Yimer and Modiba, 2019).

3.3 Attitudinal factors

Perceptions that persons having disabilities are perceived to be asexual can lead to withholding of sexuality information on the assumption that girls and women with disabilities 'won't need it' (Ahumuza et al., 2014; Devandas Aguilar, 2017). Several studies highlight wrongful assumptions that

¹¹ Characteristics of a physically accessible and disability-friendly include: provision of physical facilities like ramps/ railings/ elevators, suitable toilets, availability of sign language interpreters, provision of written text, IEC in Braille or large text, centres located in ground floor with ample moving space (Sunaulo Pariwar Nepal, 2015).

people with disabilities are not sexual beings; that they cannot be parents; and that women with disabilities do not experience sexual violence, leading to a lack of sexual health education, barriers to family planning access and uptake, sexual abuse and exploitation, and risk factors for HIV and other sexually transmitted diseases (Rohleder et al, 2019; Hameed et al, 2020). It is also worth noting that there can be gender differences in perceptions. For example, research from Uganda observed that family planning was perceived to be a 'female affair' and health workers were not trained to address the contraception needs of males with disabilities who "experienced discrimination and marginalization in relation to SRH from service providers and the public" (Ahumuza et al. 2014:8).

Discrimination from health workers to women and girls with disabilities: Stigma and negative attitudes by healthcare providers and staff are one of the most commonly cited barriers in the literature (Devkota et al, 2019). These barriers may be compounded for people with disabilities that possess other marginalised identities, such as refugee status.¹² For example, in Uganda, a study of refugees with disabilities observed how negative and disrespectful provider attitudes at health centres and the national referral hospital are 'the most influential barrier' deterring refugees with disabilities from accessing family planning services (Tanabe et al, 2015). Given the history (and indeed ongoing practice¹³ in some countries) of forced sterilisation of women and girls with disabilities, it is particularly important to address negative attitudes and discrimination and ensure the "full, uncoerced and informed consent of the individual, either alone or with support" (WHO, 2015: 107)¹⁴. Several studies highlight how girls and young women with disabilities are infantilised, disempowered and lack voice, choice and control to make decisions about their own bodies and sexualities (Plan, 2017; Jones et al, 2018).

Overprotective attitudes and lack of communication around family planning by parents and caregivers: For example, a multi-country study from Ethiopia, Uganda and Rwanda observed that discussion on sexuality related matters between parents and young people with disabilities was 'very low', with only 22% of respondents having discussed sex and family planning with their parents (Kassa et al, 2016). Conversations about sexuality for younger and unmarried girls may be particularly taboo in culturally conservative contexts, for example research in Jordan with parents of adolescents aged 12-18 with Down's Syndrome highlighted cultural barriers to discussing masturbation, sexuality and family planning, which were also seen to be more shameful for parents to discuss with girls (Amr et al, 2016).

Gender-based violence, and particularly intimate partner violence (IPV), stemming from harmful attitudes, norms and unequal power relations between men and women, can limit access to and uptake of family planning methods. Studies have found that women with disabilities are at least twice as likely as women without disabilities to be victims of rape, sexual abuse and IPV, with the most common perpetrators being their male partners (van der Heijden and Dunkle, 2017). Myths around asexuality can contribute to IPV and other forms of violence going undetected. For example, research conducted in partnership with young people with disabilities in Senegal found high vulnerability to sexual violence and therefore high risk of unintended pregnancies, particularly among young girls with hearing impairments.¹⁵ Research also indicates that women with intellectual impairments are at higher risk, being less likely to receive sexual education, often socialised to be compliant and more reliant on caregivers (Van Der Heijden, 2014; Barger et al, 2009). Perpetration of gender-based violence by

¹² Personal communication with Dr Ola Abu Alghaib, Director, Global Influencing and Research, Leonard Cheshire Disability (15 January 2019)

¹³ For example, the Nepal Shadow Report submitted to the Committee on the Rights of Persons with Disabilities notes that "Forced sterilization of girls and young women with disabilities is still a serious human rights violation in Nepal" (p.4).

¹⁴ See also the interagency statement on eliminating forced, coercive and otherwise involuntary sterilisation: https://www.who.int/reproductivehealth/publications/gender-rights/eliminating-forced-sterilization/en/

¹⁵ Expert comments from Eva Burke, Reproductive and Sexual Health Specialist (30 December 2018)

healthcare workers in positions of power and authority, including forced sterilisation, can also act as a considerable barrier to family planning for women and girls with disabilities (Bell and Butcher, 2015).

3.4 Institutional factors

Need for national policies to tackle the reproductive rights of women and girls with disabilities: Despite advances made by several LMICs in ratifying the CRPD, many countries still lack legal guarantees and national policies for people with disabilities to have equal rights to health and nondiscrimination (Nakray, 2018; Jones et al, 2018). In fact, legislation related to SRHR in many countries discriminates against people with disabilities, which may limit family planning for people with disabilities. For example in 23 Commonwealth countries consensual sexual activity with people with disabilities is criminalised, and in 25 Commonwealth countries sexual assault laws use derogatory language to refer to people with disabilities (Human Dignity Trust, 2021). A review of seven major SRH policy and practice documents from Ghana government sources and NGOs concluded that the attention given to the SRH needs of persons with disabilities has been 'cursory', with a need for more guidance and research to ensure disability-friendly services and information (Mprah et al, 2014). Although Ghana's 2016 Adolescent Reproductive Health Policy is more disability inclusive, the policy lacks an understanding of the barriers that adolescents with disabilities face in accessing SRH care and services (Karimu, 2018).¹⁶ The Ghana CRPD State Report (2018) notes: "There are inadequate attempts at tackling maternal health care and reproductive rights of women with disabilities" (p.24) and highlights several challenges including: no provision in the constitution on the right to health; unprofessional attitudes of health professionals towards persons with disabilities; and inaccessible health infrastructure, facilities, information, services and public health campaigns on family planning. Amongst the FP2020 commitment-makers, few examples were identified of policy commitments specifically addressing the needs of young people with disabilities. An example of good practice here is Cameroon who have committed to establishing a budget line to subsidise family planning for the most vulnerable users, including adolescents and youth and women with disabilities.¹⁷

Lack of data on access to and uptake of family planning for women and girls with disabilities: The lack of age-, gender- and disability-disaggregated data hinders our understanding of the extent of access to and uptake of family planning for persons with disabilities, rendering them invisible (Jones et al, 2018). Similarly, there is a knowledge gap in documented experiences of disability inclusion in family planning and their "needs, experiences and views are not captured in evaluations" (Buchy et al, 2017: 14; see also Section 4 below). The United Nations World Family Planning 2020 report does not analyse the situation of women with girls with disabilities in regard to family planning due to a lack of data (UNDESA, 2020).

Lack of technical expertise around family planning programming from a disability perspective: Various studies have highlighted the lack of comprehensive knowledge about appropriate practices for family planning for women and girls with disabilities (Kassa, 2016; FHI360, 2017).

High costs to persons with disabilities of accessing family planning services: Several studies have highlighted the financial barriers to family planning services experienced by people with disabilities, particularly adolescent girls (Tanabe et al, 2015; Arulogun et al, 2013; Ahumuza et al, 2014). For example, a qualitative study¹⁸ with young people aged 18-24 with physical, visual and hearing impairments in Senegal found that financial costs are a key barrier to accessing SRH services, and

¹⁶ The 2016 policy committed to make SRH information and services accessible for adolescents with disabilities (Karimu, 2018; Expert comments from Eva Burke, Reproductive and Sexual Health Specialist (30 December 2018)

¹⁷ Expert comments from Eva Burke, Reproductive and Sexual Health Specialist (30 December 2018). See http://www.familyplanning2020.org/sites/default/files/Engagements-FP2020-Cameroun-2014.pdf)

¹⁸ Male and female peer researchers conducted 17 focus group discussions and 50 interviews with young women and men with disabilities in Dakar, Thies and Kaolack in Senegal

recommended that "financial or voucher schemes should be introduced for young people with disabilities to access free or subsidised SRH services, including ensuring access to the *cartes d'égalité* des chances¹⁹" (Burke et al, 2017: 52).

Lack of confidentiality if help with communication is required, which is particularly the case for adolescent girls. A study in Ibadan, Nigeria with 167 girls aged 11-24 years with hearing impairments found that over a third (37%) of girls were embarrassed to ask questions in the presence of an interpreter. Where there were no interpreters, 75% of participants were seen in the presence of family members – a breach of privacy. 53% of participants were concerned about the confidentiality of the interactions, and felt excluded from their own healthcare decisions (Arulogun et al, 2013)

3.5 Exacerbated barriers to SRHR during the COVID-19 Pandemic

There is limited evidence available on family planning for people with disabilities during the COVID-19 pandemic. However the available evidence shows that for people with disabilities, pre-existing barriers to SRHR have been exacerbated by the pandemic. Global research with 150 women, girls, and gender nonconforming persons with disabilities from April to September 2020 found that during the pandemic participants had experienced a reduction in SRH services and medications, the cancellation of family planning services, greater barriers to accessing safe abortion, a lack of accessible services (including lack of access to telehealth services), and negative changes in prenatal care and labour protocols (Women Enabled International, 2020). Some participants noted that contraceptives were no longer available during the pandemic, and that they had to travel to find contraceptives, which can be complicated for women with disabilities; that pharmacies were inaccessible; or that doctors were unavailable to provide prescriptions (Women Enabled International, 2020). There is some evidence that education has been inaccessible to some people with disabilities during the pandemic, which may have also reduced their access to information and training on family planning and SRHR (Women Enabled International, 2020; Jenkins, 2021; Clugston, 2020; Meaney-Davis, 2020a; Meaney-Davis and Wapling, 2020). People with disabilities have also experienced significant financial impacts from the pandemic, including loss of employment and income, and a lack of access to social protection, which may further limit their access to family planning and SRH services (Women Enabled International, 2020; Meaney-Davis, 2020b).

^{19 &#}x27;Cartes d'égalité des chances' are Senegal's 'Equal opportunity cards'

4. Good practice on increasing full, free and informed contraceptive choice for women and girls with disabilities

Several groups are working to increase access to and uptake of family planning for women and girls with disabilities, but to date there is a lack of evidence on good practice, even in high-income countries. A recent systematic review of interventions to promote sexual and reproductive health of persons with disabilities in low- and middle-income countries identified nearly 400 studies documenting people with disabilities SRHR needs, barriers and facilitators, but it only found 18 studies of interventions, and it did not identify any intervention promoting access to family planning and contraception, maternal health services or safe abortion for people with disabilities (Hameed et al, 2020). Similarly, a systematic review of the evidence on contraceptive knowledge and use among women with intellectual, physical, or sensory disabilities from high-income countries identified only six intervention studies – five of which reported post-intervention improvements in contraceptive knowledge and use (Horner-Johnson et al, 2018). Methodological challenges include different ways of measuring outcomes, identifying research participants, small sample sizes, and few comparison groups, including with the general population (*Ibid*, 2018; Carew et al, 2017).

A scoping study commissioned by DFID in 2017 found that "people with disabilit[ies] are largely invisible in monitoring and evaluation (M&E) activities" (Buchy et al, 2017: 14), which extends to family planning programming. The study concluded that there was a lack of experience within the monitoring sector for assessing disability inclusion, with many long-running programmes not being designed with inclusion in mind, leading to a lack of visibility of disability in M&E (Buchy et al, 2017; Wapling, 2018).

Given the multiple barriers that women and girls face, the diversity of disabilities and diverse contexts, most studies and the experts consulted highlight the need for a multi-component approach using a range of tailored strategies. Examples of promising practices most frequently mentioned in the literature include:

• Inclusion of women and girls with disabilities in the development of family planning policies and programmes, in line with the principle of 'nothing about us, without us' (Burke et al, 2017). Programmes should actively partner with DPOs to ensure that strategies are flexible and responsive to the context-specific needs of women and girls with disabilities. An example of promising practice from the Philippines is peer-facilitated Participatory Action Groups²¹ (PAGs) – structured groups bringing women with disabilities together to discuss sexual and reproductive health issues. A qualitative evaluation of the PAGs revealed positive changes in women's lives that participants attributed to their participation in the PAGs, including increased knowledge on sexual and reproductive health and rights, enhanced self-confidence, peer support and access to services (see below) (Devine et al, 2017).

Changes associated with Participatory Action Groups in the Philippines (Devine et al, 2017: 59)

Women's prioritisation of change	PAG with women who are Deaf or hard of hearing	PAG with women with vision impairment	PAG with women with mobility impairment	PAGs with women with mobility impairment
1 st	Increased knowledge on sexual and reproductive health	Enhanced self- confidence	Increased knowledge on the rights of people with disabilities	Enhanced self-confidence
2 nd	Increased understanding on prevention of HIV and STIs more specifically	Increased knowledge on protection from violence	Enhanced self- confidence	Increased knowledge on the rights of people with disabilities

²⁰ Based on review of evidence and personal communication with Eva Burke, Reproductive and Sexual Health Specialist (30 December 2018) and Dr Ola Abu Alghaib, Leonard Cheshire Disability (15 January 2019)

²¹ As part of the three-year W-DARE project (Women with Disability taking Action on Reproductive and Sexual Health) funded by the Department of Foreign Affairs and Trade, Australian Government.

		for women and children with disabilities		
3 rd	Increased knowledge on protection from violence for women and children with disabilities	Increased knowledge on the rights of people with disabilities	Increased knowledge on protection from violence for women and children with disabilities	Social inclusion associated with the PAG process and enhanced self-confidence

- Peer education to improve the awareness of people with disabilities on family planning methods and services. This review identified several interesting examples of peer educators successfully reaching people with disabilities, particularly people with hearing impairments, for example in DRC (FHI 360, 2015), Nepal (UNFPA, 2018), Uganda (Plan, 2017), and Kenya (Taegtmeyer et al., 2009). A study found that exposure to peer educators was 'highly significantly associated' with attendance at health services, and peer educators were seen as imparting trustworthy information and using innovative methods developed locally, such as Deaf puppetry, as well as text messaging which is widely used by Deaf persons in Kenya (Taegtmeyer et al., 2009). In Nepal, young people with disabilities act as peer educators and 'pop-up volunteers' at Marie Stopes youth-friendly service centres to raise awareness and encourage outreach (UNFPA, 2018).

Kenya: An innovative example of promising practice is the Dance Into Space Foundation (funded by AMPLIFY Fund²²). Contemporary dance performances provide an opportunity for men and women with disabilities to share their stories and address myths around disabilities and sexuality in front of other people with disabilities, their caregivers and community. The project has partnered with local service providers and the dancers become local advisors on SRHR. There are no publicly available evaluations of the project, but a report by the Dutch Coalition on Disability and Development (2017) notes that "we observed that people with disabilities were now included in the community's sexual and reproductive health and rights agenda. Against a hitherto culturally stigmatised environment, community members confessed that the captivating work had enlightened perceptions them changed their of disability South Africa: the tool 'Teachers' Sexuality Education Questionnaire (TSE-Q) has been used to assess teachers' needs, knowledge, attitudes, practice and self-efficacy in delivering sexuality education to children with sensory and intellectual impairments. A study of the tool found that it works well to capture teachers' capacities, though it could be strengthened, and that the tool could potentially be applied to other impairment types and in other contexts (Hanass-Hancock et al, 2014). Zimbabwe: the 'Youth Action for Better Health' intervention implemented by Leonard Cheshire reported that peer-to-peer education had a multiplying effect in effectively spreading SRH information. It aimed to improve the SRH health status of young people by training 357 youth to become peer-to-peer trainers in SRHR for other adolescents with a disability (Chivandire, 2017).

• Tailoring key awareness-raising and educational messages on family planning for people with disabilities. For example, in Ghana, the State Report (2018) notes that education on family planning methods are being made accessible using sign language and copies of Behavioural Change Communication (BCC) materials are printed in braille version. Elsewhere, social media and innovative technologies are being piloted, such as the UNFPA-funded *Deaf Elimu*, a web and mobile-based application that targets 800,000 deaf youth users in Kenya who search for SRH information in sign language,²³ and a successful campaign for deaf youth in three Latin American

²² See AMPLIFY Fund's Learning Memo 5: https://amplifychange.org/tools-guides/learning-memos/

²³ https://www.deafelimuplus.co.ke/

countries using posters with barcodes giving them access to videos in sign language addressing sexuality and sexual health (Plan, 2017). As yet, these initiatives have not been evaluated. A study of a web-based interactive platform providing SRH information in sign language in Ecuador reported positive feedback and acceptability of the platform among people working with deaf women, educators and clinicians (Robles-Bykbaev et al, 2019).

- Adapting SRH services during the COVID-19 Pandemic: This-Ability Trust in Kenya developed
 a toll-free helpline for women with disabilities to find accessible SRH services in 8 counties. They
 produced accessible materials on family planning and online curricula for medical providers, and
 delivered online training on SRHR through an accessible e-learning platform (Women Enabled
 International, 2020).
- Addressing negative attitudes amongst healthcare workers and ensuring informed contraceptive choice through training. Most of the examples found during this review involve disability sensitisation conferences with Ministries of Health, local NGOs, DPOs and healthcare workers, for example in Kenya and DRC. Resource manuals have also been developed to help build the capacity and interpersonal communication skills of healthcare providers. For example, in Ethiopia, the Resource Manual for Reproductive Health / Family Planning Service Providers on the Inclusion of Persons with Disabilities in Reproductive Health/Family Planning Services provides step-by-step guidance for both mainstreaming disability and developing disability-specific targeted approaches (UNFPA, 2018). In DRC, the C-CHANGE project developed the "Communiquons avec les sourds" or "Let's Communicate with the Deaf" an illustrated dictionary (in American Sign Language) of health-related vocabulary associated with human anatomy and sexuality to help improve communication between young people with hearing disabilities and their families, health workers, and educators (FHI 360, 2015).
- Engaging family members on family planning interventions is important to get caregivers' buy-in and create an enabling environment to improve access and uptake of family planning, particularly important in culturally conservative contexts (FHI 360, 2017). An example of promising practice is a project by Leonard Cheshire Disability in Zimbabwe, working with 21 local partner organisations on a variety of SRH activities: training for adolescents with disabilities, peer education, safe spaces, school activities and providing information in accessible formats. A key lesson learnt was the importance of involving parents from the outset to ensure positive outcomes (Dutch Coalition on Disability and Development, 2017).
- Satellite services and sexuality education offered through DPOs and special schools for people with disabilities are another approach used. One example is the 'It's my body!' sexuality education, designed by Niketan Foundation and Rutgers Foundation for use at special schools in Bangladesh. The course on sexual and reproductive health aims to empower adolescent girls and boys with intellectual disabilities aged 13-15. Although not yet evaluated, a recent report highlighted lessons learned about breaking taboos while keeping parents on board; and tailoring communication to people with (severe) intellectual disabilities (Dutch Coalition on Disability and Development, 2017).
- Collect data to generate new knowledge to help improve planning of policy and services for women and girls with disabilities. For example, as part of the WE DECIDE²⁴ initiative, UNFPA launched a global study on young people with disabilities (2018) which includes analysis on the situation of the SRHR of young persons with disabilities.

-

²⁴ WE DECIDE is a global initiative to promote gender equality and social inclusion of young persons with disabilities and advocate for the end of sexual violence.

• Ensure that family planning services are accessible to women and girls with disabilities, for example, global guidance on 'Family Planning: A Global Handbook for Providers'²⁵ by the World Health Organisation, USAID and John Hopkins University (2018) recommends facilities are physically accessible (e.g. ramps for wheelchairs, large bathrooms with grab bars), outreach programmes for people in the community with limited mobility, and print materials with simple graphics, large print and Braille, plus information in audio formats. For example, the Straight Talk Foundation in Uganda set up mobile clinics with trained multidisciplinary teams to improve access to SRHR services to girls and young women with disabilities in rural or otherwise isolated areas (cited in Plan, 2017).

-

²⁵ See: https://www.fphandbook.org/sites/default/files/JHU-2018FPHandbook-2018-06-18-1140web.pdf

5. References

Ahumuza, S. Matovu, J, Ddamulira, J and Muhanguzi, F (2014) 'Challenges in accessing sexual and reproductive health services by people with physical disabilities in Kampala, Uganda'. *Reproductive Health*, 11: 59-59.

Amr, M, Zaki, N, Raddad, D, Zayed, Z, Deba, M et al (2016) 'Parental report of gender differences in sexual functioning among adolescents with Down Syndrome: A Jordanian experience', *Journal of Behaviour Therapy and Mental Health*, 1(1): 11-24.

Arulogun O. S. Titiloye M. A. Afolabi N. B. Oyewole O. E. , & Nwaorgu O. G. B. (2013). 'Experiences of girls with hearing impairment in accessing reproductive health care services in Ibadan, Nigeria'. *African Journal of Reproductive Health* , 17 , 85 – 93 . doi: 10.4314/ajrh.v17i1.

Ayiga, N and Kigozi, S (2016) 'Access to and Uptake of Contraception by Women with Disabilities', Journal of Social Sciences, 12 (4): 171.181 https://thescipub.com/pdf/10.3844/jssp.2016.171.181

Barger, E, Wacker, J, Macy, R and Parish, S (2009) 'Sexual Assault for Women with Intellectual Disabilities: A Critical Review of the Evidence'. Intellect Dev Disability. 47(4): 249-62.

Bell, E and Butcher, K (2015) *DFID Guidance Note on Addressing Violence Against Women and Girls (VAWG) in Health Programmes – Part A*, London: VAWG Helpdesk.

Braathen, S, Rohleder, P and Azalde, G (2017) *Sexual and Reproductive Health and Rights of Girls with Disabilities*, London: SINTEF, University of East London.

Buchy, M, Resch, E, Wapling, L, Jones, S and Singh, P (2017) *Scoping Study: Donor Support for Disability Inclusive Country Led Evaluation Systems and Processes.* Synthesis Report. Oxford: Oxford Policy Management.

Burke, E et al (2017) 'A qualitative study to explore the barriers and enablers for young people with disabilities to access sexual and reproductive health services in Senegal', *Reproductive Health Matters*, 25:50, 43-54.

Carew, M. T., Braathen, S. H., Swartz, L., Hunt, X., & Rohleder, P. (2017) 'The sexual lives of people with disabilities within low-and middle-income countries: a scoping study of studies published in English'. *Global health action*, *10*(1), 1337342.

Chivandire, G (2017) 'Change agents with a disability: youth with a disability in action and collaboration for improved SRHR'.

https://www.lilianefonds.org/uploads/media/5ae9db0c70779/change-agents-with-disability.pdf

Clugston, N (2020) 'COVID-19 disability inclusion evidence digest July 2020 – November 2020'. Disability Inclusion Helpdesk https://www.sddirect.org.uk/media/2180/query-55-covid-evidence-digest-jan-21.pdf

Devandas Aguilar, C. (2017) Sexual and reproductive health and rights of girls and young women with disabilities, Seventy-second session of UN General Assembly, July 2017.

Devine, A et al (2017) "Freedom to go where I want": improving access to sexual and reproductive health for women with disabilities in the Philippines'. *Reproductive Health Matters*, 25(50), 55-65.

Devkota, H. R., Kett, M., and Groce, N. (2019) 'Societal attitude and behaviours towards women with disabilities in rural Nepal: pregnancy, childbirth and motherhood'. *BMC Pregnancy and Childbirth*, 19(1), 20.

DFID (2018) DFID's Strategy for Disability Inclusive Development 2018-23, London: DFID.

Dutch Coalition on Disability and Development (2017) *Everybody Matters: Good practices for inclusion of people with disabilities in sexual and reproductive health and rights programmes*, Dutch Coalition on Disability and Development (DCDD) and Share-Net International

FHI 360 (2017) Assessment on Family Planning Needs of People Living with Disabilities: Case of Addis Ababa, Ethiopia. USAID, FHI 360, Ministry of Health.

FHI 360 (2015) C-CHANGE DRC Final Report. USAID, FHI 360, Pepfar.

Habinshuti, G., Wamocho, F.I. and Njoroge, M. (2017) 'Sources of information about HIV and AIDS among students with disabilities in institutions in Rwanda' Educational Research International 6(3): 71–81.

Hameed S, Maddams A, Lowe H, *et al* (2020) 'From words to actions: systematic review of interventions to promote sexual and reproductive health of persons with disabilities in low- and middle-income countries' BMJ Global 5:e002903.

Hanass-Hancock, J, Henken, S, Pretorius, L, et al. (2014) 'The cross-cultural validation to measure the needs and practices of educators who teach sexuality education to learners with a disability in South Africa' Sex Disabil 32:279–98

Human Dignity Trust (2021) 'Changing Laws, Changing Lives: Assessing sexual offences laws in the Commonwealth'. https://www.humandignitytrust.org/reform/

Horner-Johnson, W et al, 2018 'Contraceptive knowledge and use among women with intellectual, physical, or sensory disabilities: A systematic review', *Disability and Health Journal*, November 2018.

Jenkins, O (2021) 'COVID-19 disability inclusion evidence digest, December 2020 – March 2021'. Disability Inclusion Helpdesk. https://www.sddirect.org.uk/media/2196/did-covid-19-evidence-digest-nov-20-mar-21-final.pdf

Jones, N, Presler-Marshall, E and Stavropoulou, M (2018) *Adolescents with Disabilities: Enhancing Resilience and Delivering Inclusive Development*, London: GAGE Programme. https://www.odi.org/sites/odi.org.uk/files/resource-documents/12323.pdf

Karimu, A (2018) 'Disabled persons in Ghanaian health strategies: reflections on the 2016 adolescent reproductive health policy', *Reproductive Health Matters*, 26:54, 20-24.

Kassa, T et al (2016) 'Sexual and reproductive health of young people with disability in Ethiopia: a study on knowledge, attitude and practice: a cross-sectional study', *Globalization and Health* (2016) 12:5.

Meaney-Davis, J (2020a) 'COVID-19 disability inclusion evidence digest May 2020 – July 2020' Disability Inclusion Helpdesk. https://www.sddirect.org.uk/media/2093/no-50-covid-19-summer-digest.pdf

Meaney-Davis, J (2020b) 'The financial and economic impacts of COVID-19 on people with disabilities in low- and middle-income countries', Disability Inclusion Helpdesk. https://www.sddirect.org.uk/media/2063/query-no-42-economic-impacts-of-covid-19.pdf

Meaney-Davis, J, and Wapling, L (2020) 'Education for children with disabilities during the COVID-19 pandemic: lessons from Ebola, towards a data and evidence agenda'. Disability Inclusion Helpdesk. https://www.sddirect.org.uk/media/2189/disability-inclusion-helpdesk-query-37-covid-19-and-education.pdf

Mirza, M. (2015) 'Disability-inclusive healthcare in humanitarian camps: pushing the boundaries of disability studies and global health'. *Disability and the Global South*. 2, 479–500.

Mprah, W, Anafi, P and Sekyere, F (2014) 'Does disability matter? Disability in sexual and reproductive health policies and research in Ghana'. *International Quarterly of Community Health Education*, 35(1), 21-35.

MSI Reproductive Choices (2021) 'Reproductive Choice for All: Leaving no one behind in reproductive healthcare'. https://www.msichoices.org/resources/reproductive-choice-for-all-leaving-no-one-behind-in-reproductive-healthcare/#

Nakray, K. (2018) 'Disability policies, transnational and policy diffusion: 'a' social models of inclusion for children and youth in LMICs'. Presentation at Development Studies Association Annual Conference, Manchester, 27–29 June 2018.

Plan (2017) Let me decide and thrive: Global discrimination and exclusion of girls and young women with disabilities, Woking: Plan International

Robles-Bykbaev, Y, Oyola-Flores, C, Robles-Bykbaev, VE, et al. (2019) 'A Bespoke social network for deaf women in Ecuador to access information on sexual and reproductive health' Int J Environ Res Public Health 16:17.

http://www.ncbi.nlm.nih.gov/pubmed/31627417

Rohleder, P, Braathen, S and Carew, T (2019) *Disability and Sexual Health: A Critical Exploration of Key Issues*, Abingdon: Routledge.

Sunaulo Pariwar Nepal. (2015). *Sexual and Reproductive Health among Young Persons' with Disability in six districts of Nepal,* Prepared by: Research, Monitoring & Evaluation Team Sunaulo Parivar Nepal, implementing partner of Marie Stopes International.

http://www.mariestopes.org.np/application/files/2714/9372/5249/Sexual-and-Reproductive-Healthamong-Young-Persons.pdf

Taegtmeyer M. et al (2009) 'A peer-led HIV counselling and testing programme for the deaf in Kenya', *Disability and Rehabilitation*, 31, 508 – 514.

Tanabe, M., Nagujjah, Y., Rimal, N., Bukania, F. and Krause, S. (2015) 'Intersecting sexual and reproductive health and disability in humanitarian settings: risks, needs, and capacities of refugees with disabilities in Kenya, Nepal, and Uganda' *Sexuality and Disability* 33(4): 411–427

Trani, J, Browne, J, Kett, M, Bah O and Morlai, T et al. (2011) 'Access to health care, reproductive health and disability: A large scale survey in Sierra Leone'. *Soc. Sci. Med.*, 73: 1477-1489.

UNDESA (2020) World Family Planning 2020 Highlights: Accelerating action to ensure universal access to family planning.

https://www.un.org/development/desa/pd/sites/www.un.org.development.desa.pd/files/files/documents/2020/Sep/unpd_2020_worldfamilyplanning_highlights.pdf

UNFPA (2018) Young Persons with Disabilities: Global Study on Ending Gender-Based Violence and Realising Sexual and Reproductive Health and Rights, New York: UNFPA

Wapling, L (2018) Short Guide to Disability Inclusive Development and Key Sources of Information, Prepared for Disability Inclusion Helpdesk.

van Der Heijden, I (2014) What works to prevent violence against women with disabilities. What Works to Prevent Violence. London: DFID

van Der Heijden, I and Dunkle, K (2017) What Works Evidence Review: Preventing violence against women and girls with disabilities in lower- and middle-income countries (LMICs). London: DFID

WHO (2015) *Medical Eligibility Criteria for Contraceptive Use*, Geneva: World Health Organisation (WHO).

WHO/UNFPA (2009) Promoting sexual and reproductive health for persons with disabilities: WHO/UNFPA guidance note, Geneva: UNFPA

Women Enabled International (2020) 'Feminists with Disabilities Joint Submission to the Working Group on discrimination against women and girls: Women's and girls' sexual and reproductive health and rights in situations of crisis'. https://womenenabled.org/blog/feminists-with-disabilities-joint-submission-to-the-working-group-on-discrimination-against-women-and-girls-womens-and-girls-sexual-and-reproductive-health-and-rights-in-s/">https://womenenabled.org/blog/feminists-with-disabilities-joint-submission-to-the-working-group-on-discrimination-against-women-and-girls-womens-and-girls-sexual-and-reproductive-health-and-rights-in-s/

Yimer, AS and Modiba LM (2019) 'Modern contraceptive methods knowledge and practice among blind and deaf women in Ethiopia. A cross-sectional survey' BMC Women's Health, 19:151.

Expert contributors

Diane Kingston OBE, Senior Advisor: Policy and Government Affairs, AIDS Alliance

Dr Ian Askew, Director, Reproductive Health and Research (includes the UNDP/UNFPA/UNICEF/WHO/World Bank Special Programme – HRP)

Dr Ola Abu Alghaib, Director, Global Influencing and Research, Leonard Cheshire Disability

Dr Mary Eluned Gaffield, World Health Organisation

Eva Burke, Reproductive and Sexual Health Specialist (Freelance)

Harri Lee, Social Development Direct

Jenny Holden, Social Development Direct

Meghan Bishop, Consultant, ITAD

Samantha Wood, Operations and Planning Manager, Policy and Programme Strategy, Sightsavers

About Helpdesk reports: The Disability Inclusion Helpdesk is funded by the UK Foreign, Commonwealth, and Development Office, contracted through the Disability Inclusion Team (DIT) under the Disability Inclusive Development Programme. Helpdesk reports are based on between 3 and 4.5 days of desk-based research per query and are designed to provide a brief overview of the key issues and expert thinking on issues around disability inclusion. Where referring to documented evidence, Helpdesk teams will seek to understand the methodologies used to generate evidence and will summarise this in Helpdesk outputs, noting any concerns with the robustness of the evidence being presented. For some Helpdesk services, in particular the practical know-how queries, the emphasis will be focused far less on academic validity of evidence and more on the validity of first-hand experience among disabled people and practitioners delivering and monitoring programmes on the ground. All sources will be clearly referenced.

Helpdesk services are provided by a consortium of leading organisations and individual experts on VAWG, including Social Development Direct, Sightsavers, Leonard Cheshire Disability, ADD International, Light for the World, BRAC, BBC Media Action, Sense and the Institute of Development Studies (IDS). Expert advice may be sought from this Group, as well as from the wider academic and practitioner community, and those able to provide input within the short time-frame are acknowledged. Any views or opinions expressed do not necessarily reflect those of FCDO, the Disability Inclusion Helpdesk or any of the contributing organisations/experts.

For any further request or enquiry, contact enquiries@disabilityinclusion.org.uk

Suggested citation:

Fraser, E, Corby, N, and Meaney-Davis, J (2021) *Family Planning for women and girls with disabilities*, Disability Inclusion Helpdesk Research Report No. 60. London, UK: Disability Inclusion Helpdesk.